
Index

- Abutilon theophrasti* 4, 327
Acremonium 4, 330
Acremonium diospyri 4
Additives 181, 183, 278, 330, 365, 379
Aeschynomene virginica 4, 179, 226, 266, 290, 362
Aflatoxin 333
Agronomic issues 381, 382
Alginate 12, 38, 116, 119–120, 185, 260
Allozymes 199, 201–202, 229
Alternaria alternata 328, 329, 331
Alternaria cassiae 4, 187, 326
Alternaria eichhornia 4, 327
Alternaria zinniae 4
Ampelomyces quisqualis 2, 11, 13, 198, 290, 297
Antagonism 7, 52, 323–324, 334, 362, 378
Antagonistic yeasts
 commercialization 274–278
 formulation 278
 mass production 277
 stabilization 278
Antagonists 16, 17, 19, 20, 122, 275, 277, 378
Aphids 3, 41, 42, 51, 54, 72, 84–88, 97, 99, 100, 108, 109, 111, 113, 115, 116, 119, 124–126, 130, 194, 198, 199, 201, 229, 247, 254–255, 264
Application
 controlled droplet application 296
 droplet size 292–296, 299–300, 302–304
 droplet size spectra 296
 oil formulation
 M. anisopliae var. *acidum* 298–301
 Paecilomyces farinosus 299
 retention 294
 spray drift 296
 sprayer types 304–306
 volume applications rate 295
 work rate 296
 see also Mycoherbicides and Mycoinsecticides
Appressoria 79, 99, 103, 160, 270, 271, 325
 Appressorium 25, 160, 183, 200, 223, 224, 227, 228, 244, 267
 Arthrobotrys irregularis 361
 Aschersonia 25, 27, 41, 73, 256, 312
 Aschersonia aleyrodii 27
 Aspergillus 6, 25, 204, 225, 240, 333
Bassianolide 26, 312, 320–321, 351
BCA 1, 4–7, 9, 10, 12–20 23, 28, 39, 46, 47, 54, 155–157, 159, 161, 163–165, 170–178, 181, 185, 186, 229–234, 246, 138–149, 157, 159, 163, 166–167, 169–170, 272–279, 311–312, 322, 329, 333, 377–383
Beauveria 3, 25, 26, 254, 290, 318–321, 339, 341, 343
Beauveria bassiana 5, 26, 42, 43, 132, 194, 196–198, 221, 244, 256, 290, 305, 312, 348, 359
 wetttable powder 261
Beauveria brongniartii 3, 26, 194, 204, 260, 312, 319, 360
Beauvericin 320–321
Beauveriolide 320–321, 351
Bemisia see Whiteflies
Biocontrol agent see Biological control agent
Biological control agent 1, 9, 11, 23, 52, 124, 155, 164–170, 173, 194, 219, 292, 298, 305, 311–312, 325, 348, 358, 364, 365, 377
Botrytis cinerea 2, 11, 14, 242, 323
Candida oleophila 2, 11, 14, 198, 275, 290
Candida saitoana 277
Cassia obtusifolia 4, 326, 327
Cassia occidentalis 4, 11
Cercospora rodmanii 4
Chitinase 322, 325
Chondrosterium purpureum 2, 4, 290

- Classical biological control 194–221, 357–358, 360, 363
Entomophthora grylli 210
Entomophaga maimaiga 220
Erynia radicans 220
 mycoinsecticide 194
Puccinia chondrillina 220
Puccinia jaceae 220
Zoophthora 194
- Cockchafer 3, 45, 46, 194, 198, 201, 254, 319
 Cockroaches 3, 49, 254, 359
Colletotrichum 176, 179, 180, 196, 200, 203, 223, 272, 312, 329
Colletotrichum coccodes 4, 192, 327
Colletotrichum gloeosporioides 4, 179, 194, 196, 221, 266, 290, 362
Colletotrichum graminicola 194, 266, 290, 362, 327
Colletotrichum orbiculare 4
Colletotrichum truncatum 246, 267, 268, 270–274
 Colorado potato beetle 36, 37, 40, 42, 50, 254
 Commercial 1, 4–6, 10, 12, 16, 19–21, 36, 45–46, 49, 66, 119–120, 138, 155–157, 160, 166, 179–180, 184, 186, 219, 221, 224, 226, 228, 239, 232, 239, 249, 253, 254, 258, 260–262, 265–279, 289, 296, 300, 305, 306, 311, 312, 319, 322–323, 326, 328, 330, 347, 358–359, 381–382
 Commercialization 198–199
 genetic engineering 230–232
 Conidia 3, 13, 24–32, 35–39, 41–44, 46–49, 51, 53, 54, 72–75, 77–106, 109–110, 117–120, 125–129, 132, 157, 161, 174, 206, 207, 221, 223, 226, 240–247, 254, 265, 270–273, 297–299, 301–304, 352, 354, 359, 360
Coniothyrium minitans 2, 11, 12, 195, 198, 290
Cordyceps 5, 24, 25
 Crops 10–12, 14, 15, 17–19, 31, 32, 41, 42, 44–47, 54, 55, 97, 99, 108, 111, 115, 122–124, 127, 129, 131, 155–156, 159, 163, 164, 169, 170, 172, 174, 176–177, 185, 186, 198, 199, 206, 231, 232, 242, 265–267, 274, 279, 289–290, 295, 297, 298, 381, 382
Cryptococcus albidus 2, 11, 15, 275, 277
Cuscuta australis 4
Cuscuta chinensis 4, 179
 Cuticle 25, 26, 36, 43, 51, 79, 80, 85, 88, 89, 94, 97, 99, 223, 225–227, 257, 264, 315–316, 356
 adhesion 25, 43, 117, 226, 227
 penetration 25, 26, 36, 38, 41, 43, 51, 79, 94, 160, 224–228, 264, 268, 301, 305, 382
 Cuticle degrading enzymes 225–227
 Cyclosporin 5, 312
 Cyst nematodes 362
 Cytochalasin C 5, 312
- Destruxins 26, 31, 223, 312–318, 333, 351
Aschersonia 312
M. album 316
M. anisopliae 312–318
Diospyros virginiana 4
- DNA 202, 204, 208–215, 217–218
 DTX *see* Destruxins
Duddingtonia flagrans 3, 155
- Echium plantagineum* 352, 353
 Ecological fitness 239–249, 257, 378
 Ecology 1, 6, 10, 13, 15–21, 71, 158, 165–166, 172, 187, 189–191, 193, 195, 206, 211–213, 229, 231, 366, 369
- Economic (includes economical, economically, economics) 1, 7, 16, 44, 114, 123–124, 126, 170, 177–179, 184–186, 191, 194–195, 216, 221, 230, 248, 256–258, 260, 263, 265–269, 276, 301, 305, 327, 350, 353, 357, 362–364, 366–367, 377
- Ecophysiology 250
 Efraeptins 318
Eichbornia crassipes 4, 327
Endothia parasitica 2, 198, 290
 chestnut blight 2, 15, 350
 non-pathogenic strain 2
- Enniatins 320, 331
- Entomogenous fungi 3, 5, 7–8, 157, 241–242, 244, 312, 318, 380
 field trials 5, 42, 44, 46, 120–121, 248–249
 inoculation 13, 35, 44, 93, 107, 113, 128–129, 193, 207, 221, 264, 292, 316, 363, 379
 isolation 6, 105, 113, 220, 222, 275
 novel 5, 10, 34, 41, 53, 112, 132, 223, 258, 279, 304, 325, 351
 spray 1, 12, 34–36, 38, 41, 44, 45, 50, 53, 111, 115–118, 123, 124, 174, 181–185, 187, 247, 260, 263, 289–306, 326, 359, 378, 379
- Entomopathogen 30, 32, 40, 49–51, 56–58, 66, 131, 221–225, 229, 231–233, 253, 255, 259, 261, 262, 264, 265, 271–273, 279, 291, 304, 312, 319, 320, 347, 348, 356, 359, 366, 368
Entomophaga aulicae 76, 79, 121, 201, 257
Entomophaga grylli 30, 72, 73, 77, 79, 94, 96, 110, 114, 206–209, 211, 229, 354, 355
Entomophaga maimaiga 72, 76, 88–91, 93, 106, 107, 112, 121, 201, 220, 360
Entomophthora muscae 75, 77, 78, 80–84, 114–115, 121, 127
- Entomophthorean fungi 30, 88, 91, 111–112, 124, 129–130, 256–257, 261
- Entomophthorales 71, 73–74, 79, 86, 105, 110–112, 116–118, 120–124, 127, 130, 201, 356
 augmentation 111
 bottlenecks in exploitation 116
 conservation 110
 exploitation in pest management 105
 formulation of hyphal material 119
 introduction of exotic 105
- Environment 193, 194, 220, 221, 225–233, 239, 240, 244, 246, 247, 255–256, 261, 264–269, 271, 272, 274–277, 279, 289, 291, 297, 298, 303–305, 322, 326, 327, 333, 334, 350, 351, 354, 356–358, 360, 363–367, 379–382

- Epizootiology 25, 30, 82, 83, 86, 91, 97, 101, 115, 122, 125, 129, 195
- Erynia neoaphidis* 72, 76, 88, 97, 99, 100, 115, 118, 121
yield 7, 116
- Erynia radicans* 101, 194, 220
- Erynia variabilis* 226
- European corn borer 3, 30, 43, 52, 198
- Fermenter 45, 118, 119, 121, 255–258, 272, 276
- Field assays 366
- Fitness 239, 251, 257, 267, 268–269, 271–272, 378
- Formulations 5, 7, 8, 12, 13, 18–19, 21, 30, 32, 35–36, 38, 45, 49, 51, 116, 117, 119–120, 123, 127, 147, 148, 179, 181–185, 187, 189, 190, 192, 240, 248, 378
see also Antagonistic yeasts, Mycoherbicides and Mycoinsecticides
- Fumonisin 320, 329–332
- Fungi
entomogenous *see* Entomogenous fungi
risk assessment 7, 164, 195, 196, 311, 326, 327, 333, 365, 366, 382
- Fusarium* 2, 5, 11, 13, 17, 187, 198, 200, 223, 246, 290, 312, 320, 322, 327, 329–332, 351
- Fusarium oxysporium* 2
- Galleria mellonella* *see* Wax moth
- Genetic engineering/manipulation 222–223
commercialization 230–232
detoxification 223–225
differential display 222
differential hybridization 222
environmental persistence – temperature/moisture 228, 229
expressed sequence tag (EST) 222
fungicide resistance 229
host penetration 223–225
host specificity 225–227
C. gloeosporioides f. sp. *aeschynomene* 226
Erynia variabilis 226
M. anisopliae 226
Rhizoctonia solani, 226
infection 227, 228
microbial ecology 229–230
pathogenicity 222–223
random mutagenesis 222
receptors 223–225
specificity 222, 223
toxins 223–225
transformation 222
virulence 224, 225
Metarhizium 225
- Germ tube 25, 99, 103, 223, 244, 245
germination 25, 29, 32, 35–37, 43, 49–50, 73, 89, 92, 93, 95, 99–101, 103, 120–122, 181, 183, 206, 207, 226, 239, 240, 244–246, 264, 265, 267–268, 270–272, 325
conidia 3, 12, 13, 24–54, 72–132, 157, 161, 167, 196, 197, 200, 206, 207, 221, 223, 226, 240–247, 254–265, 270–273, 297–304, 352, 354, 259, 260
effect of temperature 115, 243
inhibitors 223, 225, 318, 330, 331
- Gliocladium* 2, 11, 12, 198, 290, 312, 322, 324, 325
- Gliocladium virens* 2, 12, 322
- Gliocladium catenulatum* 2, 198, 290
- Gliotoxin 323–325
- Gliovirin 312, 325
- Grasshoppers 3, 28, 30, 32–34, 39–41, 46, 53, 94–96, 110, 114, 202, 206–212, 221, 254, 255, 264, 291, 354, 359, 360
field bioassays 6
microbial insecticides 43, 256, 355
ovipositing 27, 39, 84
- Glycerol 122, 240, 242–247, 257, 264
- Haemocoel 26, 33, 35, 44, 85, 90, 95, 225, 318, 359
- Health and safety 16, 230
- Heterobasidium annosum* 2
- Heterokaryosis 200
- Hirsutella thompsonii* 312, 321
- Hirsutellin 312, 321–322, 351
- Honey bees 53, 219, 349, 379
- Horizontal transmission 35, 47–48, 108, 116, 206, 291
- Host insects 354
aquatic 196, 316, 327, 362
- Hydrophobin 26
- Hyphal bodies 26, 31, 44–45, 79, 86, 95, 100, 104, 109, 117–120, 125–126, 257–258, 260–262, 265
- Hyphae 24–26, 31, 43–44, 51, 79, 104, 120, 157, 160–161, 256, 258, 304, 318, 352
- Hyphomycetes 23–26, 28, 30, 32–34, 37–42, 47–73, 124, 132, 219, 221, 262, 355
- Insect 7–8, 16, 23, 25–36, 38–43, 47, 48, 50–71, 73, 75, 79, 80, 85, 90, 95, 101, 104, 117, 119, 122, 124–135, 140, 164, 178, 171, 174, 176, 178, 194–205, 207–208, 212, 219–233, 241–242, 247, 253–254, 256, 257, 263–266, 279, 280, 289, 291–293, 299, 312, 315–316, 318, 320–321, 329, 330, 347, 348, 354, 355, 358, 359, 364, 366, 379, 380
- Internal transcribed spacer 203
- Inundative inoculations/augmentation 220, 357–360, 362
B. bassiana 221, 359
Chondrostereum purpureum 363
Colletotrichum gloeosporioides f.sp. *aeschynomene* 221, 362
C. gloeosporioides f.sp. *malvae* 221, 362
M. anisopliae 221, 359
Phytophthora palmivora 221
V. lecanii 221

- Lagenidium giganteum* 3
 LC₅₀ 316, 320
 Lethal concentration 50
 Locust 3, 33, 35, 41, 46, 94, 96, 255, 291, 294, 298, 316
Lymantria dispar 72, 76, 88–89, 93, 106, 112, 201, 220, 360
- Magnaporthe* 202, 228, 325
Magnaporthe grisea 202, 228, 325
Marvalia cryptostegiae 292, 363
 Markers 6, 165, 199
 allozymes 201, 207–208
 B. bassiana 201
 B. brongniartii 201
 Entomophthora grylli 207, 208
 M. anisopliae 201
 Pandora neoaphidis 201
 Zoophthora radicans 201
 transposable elements 199, 204, 205
 gene tagging 197, 205
 immunological 197, 200, 201
 karyotype- 201, 202
 B. bassiana 202
 C. gloeosporioides 201
 molecular 197, 202–204, 208–211
 B. bassiana 202–204
 B. brongniartii 203, 204
 C. gloeosporioides 204
 E. aulicae 202
 E. grylli 208–211
 E. maimaiga 202
 M. anisopliae 203–204
 tagging 197
 Verticillium 204
 Zoophthora radicans 203
 morphological 197, 200
 phenotypic 196
 B. bassiana 201
 Entomophthorales 201
 M. anisopliae 201
 transformation 205
 vegetative compatibility groups (VGCs) 200
 Mass production *see* Antagonistic yeasts,
 Mycoherbicides or Mycoinsecticides
 Median lethal dose 28, 315
 see also LD₅₀ and LC₅₀
Meloidogyne 155, 156, 159, 164, 290
Meloidogyne arenaria 156
Meloidogyne incognita 156, 164
Melolontha melolontha 156
 Metabolites 26, 29, 198, 220, 228, 266, 276, 311–334, 351, 357, 368, 378, 381
Metarhizium 25, 26, 51, 203, 223, 224, 255–256, 261, 298, 316, 359–360
Metarhizium album 316
Metarhizium anisopliae 3, 5, 6, 46, 127, 194, 198, 221, 240, 256, 260, 290, 298, 312, 379
 virulence 7, 28, 52, 56, 58–59, 61, 73, 97, 108, 128, 145–146, 160, 179–180, 187, 199–201, 212, 217, 220, 222–227, 241, 257, 258, 271, 316, 326, 351, 352, 356, 366, 378
Metarhizium flavoviride 3, 222, 290
Microcentrospora acerina 303
 Microsatellites 204
 Monitoring
 biocontrol fungi 193–212
 Entomophthora grylli 206–207
Monoacrosporium ellipsosporum 361
Morrenia odorata 4, 179, 266, 290, 363
 Mutants 197, 199–200, 222, 226–227, 240–241, 316, 325
 heat-sensitive – *B. bassiana* 200
 M. anisopliae 197
 Mycoherbicides 274, 176, 179–186, 221, 230, 232, 246, 266–279, 267, 269–271, 274, 289, 297, 303, 326–328, 330, 362–364
 application 303–305
 humectants/adjuvants 303–305
 longevity 303
 Microcentrospora acerina 303
 spray placement 303
 Stagonospora 303
 Colletotrichum truncatum 270–274
 commercialization 266–279
 mass production – media and fitness 267, 269–270
 mass production methods 269
 stabilization 270
 Mycoinsecticides 30, 40, 55, 116, 123, 169, 221, 253–266, 289, 298, 329, 358–362
 application 301–303
 longevity 301
 spray timing 301
 spray placement 301
 commercialization 253–266
 formulation 262–266
 granules
 safety 257
 UV protectants 263
 mass production
 attenuation 257
 liquid substrate 256–258
 physiological manipulations 257
 quality control 257
 solid substrate 256, 258
 oil formulation – *M. anisopliae* var. *acidum* 298
 oil formulation – *Paecilomyces farinosus* 299
 packaging 261
 potential for improvement 258
 stabilization 259–262
 conidia 259
 controlled atmosphere 260
 hyphal bodies/blastospores 260–262
 temperature 259
Myrothecium 3, 198, 330, 362
Myrothecium verrucaria 3, 198
- Nematode 3, 41, 52–53, 155–167, 198, 290, 304, 347, 352, 358, 361–362, 379
 cyst 155, 157, 158, 160, 362
 ectoparasitic 362
 eggs 156–158, 160–162, 262
 plant parasitic 3, 156, 198, 361–362
 root knot 155–165, 362
 -trapping fungi 361

- Nematophagous fungi 3, 157, 160, 361, 362
Neozygites 73, 75, 77, 79, 84–88, 117–119
Neozygites aphidis 84
Neozygites floridana 76, 85,
Neozygites fresenii 76, 80, 84–86, 108–109, 115,
 119, 124, 126
Neozygites parvispora 72, 76
Neozygites fumosa 76
Nomuraea rileyi 26
- Oosporein 318–320
 Organic acids 322
 Organic farming 382
- Packaging 380
Paecilomyces 3, 24–26, 31, 44, 47, 156, 240, 256,
 259, 290, 299, 312, 320, 352, 362
Paecilomyces farinosus 24, 240, 299
Paecilomyces fumosoroseus 3, 31, 44, 47, 256, 290,
 312
Paecilomyces lilacinus 156, 352, 362
 Parasexual cycle 222
 Pathogen 7, 11, 13, 15, 17, 23, 25–30, 32–33,
 35, 39, 41, 45, 51–53, 138–141,
 143–144, 146, 148–150, 152, 171, 172,
 174–177, 180, 186, 188, 195, 198–208,
 210, 246
 PCR (polymerase chain reaction) 113, 158, 199,
 203–205, 208, 219–233, 246, 253–254,
 247, 263–267, 270–271, 279, 290–292,
 301, 304, 311–312, 315, 318, 320,
 322–323, 326–329, 332–334, 347–367,
 379
Penicillium spp. 2, 11, 185
 Peptaibols 323–324
 Pest control 15–17, 51, 53, 112, 193–194, 211,
 224–226, 228, 230–232, 240, 257, 291,
 292, 296, 367–373, 378–379
Phlebia gigantea 354
Phlebiopsis (*Phanerochaete*, =*Phlebia*, =*Peniophora*)
gigantea 2
Phloeospora mimosae-pigrae 292
Phytophthora 4, 11, 13, 179, 198, 221, 266, 290,
 326, 349, 350, 362
Phytophthora cinnamomi 350
Phytophthora infestans 349
Phytophthora palmivora 4, 179, 198, 221, 266,
 290, 326, 362
 Phytotoxins 328–334
 Plant diseases 2, 9–10, 13, 16, 18, 49, 239, 322,
 328–332, 347
 Polyols 241–243, 249, 251, 272
 Population dynamics 380
 Probe 199–200, 202–203, 208–210
 Production costs 378
Puccinia canaliculata 194
Puccinia chondrillina 220
Puccinia jaceae 220
Puccinia melampodii 364
Puccinia obtegens 194
Pythium 2, 11–13, 198, 199, 290
Pythium oligandrum 2, 199, 290
Pythium ultimum 2, 11
- Phytotoxins of phytopathogenic fungi 328–329
 host specific 328
 non-specific 329
- Rainfall 36, 95–101, 116, 239, 381
 Random amplification of polymorphic DNA 113,
 193, 196–200, 215–217, 202–204, 208,
 229
 RAPD *see* Random amplification of polymorphic
 DNA
 ‘Rational pesticide use’ 291
 Relative humidity 7, 28, 35, 120, 247, 257, 356
 Restriction fragment length polymorphism 199
Rhizoctonia 2, 11–13, 198, 226, 290, 322, 340
Rhizoctonia solani 2, 11, 12, 226, 322
 Rhizosphere competence – *Fusarium oxysporum*
 Fo47 322
 Ribosomal RNA 322
 Risk assessment 311, 333–334
see also Safety
- Safety 193, 347–383
see also Risk assessment
- Safety 347–383
 allergenicity 351
 application strategy 357
Ascosphaera apis/Chalkbrood 349
Beauveria bassiana 348
 beauveriosis 348
 classical biological control 357–358,
 360–361
E. grylli 360
E. maimaiga 360–361
Zoophthora radicans 360
 competitive displacement 354–355
E. grylli 354–355
Phlebia gigantea 354
 dose-related 355–356
 genetic manipulation – genetic engineering
 356
 hazards 350
 host depletion 352–354
 host specificity 348–350
 inundative augmentation 357–360
B. bassiana 359
B. brongniartii 260
M. anisopliae 359
M. anisopliae var. *acridum* 359–360
 mycoherbicides 362–363
 oosporein 318–320
 organic acids 322
 peptaibols 323–324
 phytopathogenic fungi 328–334
 risk assessment 333, 334
 nematophagous fungi – *Verticillium*
chlamydosporium 361, 362
 non-target effects 352
 origin 357
 pathogenicity 352
see also non-target effects and host
 specificity
 persistence – dispersal 356
 specificity – *E. grylli* 355

- Safety *continued*
 toxicity 351
 B. bassiana 351
 Fusarium nygamai 351
 Hirsutella thompsonii 351
 M. anisopliae 351
 Trichoderma harzianum 351
- Soil 157–166, 228, 243, 257, 262, 265, 273,
 290, 291, 318, 320, 322, 323, 326, 333,
 356, 361, 362, 381–382
- Spores 24–26, 30, 46, 72, 73, 75, 78–79, 81–83,
 85, 87–96, 100–101, 103–104,
 106–110, 112, 117, 120–122, 125, 126,
 157, 161, 171, 173, 180–185, 198,
 206–208, 210, 226, 228, 244–247,
 254–257, 259, 262–265, 267, 269, 270,
 271, 290, 291, 299, 302, 303, 316,
 322–323, 351, 356, 359–361, 378, 380
- Stagonospora* 303
- Strain improvement 219–233
- Sugars 241–243, 249, 251, 261
- Termites 3, 30, 48–50, 254
- Thrips 3, 30, 32, 38, 41–42, 53–54, 72, 75,
 85–86, 119, 198, 239, 254–255
- Toxins 26–27, 162, 223–225, 227, 232–233, 311,
 312, 315, 318, 319, 321, 322, 326,
 328–334, 351, 368, 381
- Transposons 197, 205
- Trichoderma* 2, 11–12, 14, 312, 318, 322–325,
 330
- Trichoderma harzianum* 2, 11–14, 199, 204, 246,
 290, 322–343, 351
- Trichoderma polysporum* 2, 11, 14
- Trichoderma viride* 2, 5, 11, 13, 14, 340
- Trichothecenes 223, 312, 325, 330–331
- Tritrophic interactions 380
- Verticillium* 25, 73, 157, 204, 255
- Verticillium chlamydosporium* 3, 155–164, 361
- Verticillium considia* 256
- Verticillium lecanii* 3, 26, 73, 160, 199, 221, 258,
 290, 298, 312
- Verticillium psalliotae* 157
- Verticillium suchlasporium* 157
- Virulence determinants 378
- Wax moth 315, 321
- Weeds 1, 4, 7, 15, 18, 97, 169–172, 174,
 176–179, 184, 186, 193, 195, 219–221,
 226, 228, 231, 239, 266, 279, 290, 295,
 312, 326, 327, 347, 352, 358, 382, 363,
 365, 379, 380
- Whiteflies 27, 31, 41, 42, 44, 45, 198, 221, 254,
 255, 264
- Xanthium occidentale* 4
- Xanthium spinosum* 4, 187
- Xerotolerant 240, 246
- Zearalenone 5, 331
- Zoophthora radicans* 72, 76, 88, 101–104, 108,
 113, 114, 121, 194, 261