

Index

- Acaulospora* 113
Acaulosporaceae 118
Acremonium 133
 A. chrysogenum 195, 197, 199
 A. alabamense 133
Actin genes 129–130
Aflatoxin 244–253, 256
AFLP, *see* Amplified fragment length polymorphism
Agaricales 139
Agaricus bisporus 138, 139, 217, 221
Agaricus caroli 139
Agaricus chionodermus 139
Agaricus excellens 139
Akanthomyces 160–161
Alga 85, 86, 87, 89, 95, 141
Alternaria 137, 244
 A. alternata 137
 A. brassicae 311
 A. brassicicola 311
 A. padwickii 311
 A. triticina 311
Amanita 111
AM fungi, *see* Arbuscular mycorrhizae
Amplified fragment length polymorphism 8, 178, 296, 320, 326–327
AmpliTaq 52
 see also DNA polymerases
- Anastomosis group (AG) 66, 140
 see also *Rhizoctonia solani*
Antibodies 28, 267, 268, 279, 290, 313
AP-PCR
 see Arbitrarily primed PCR
Arabidopsis 331
 A. thaliana 296
Arbitrarily primed PCR 8, 130, 138, 294
Arbuscular mycorrhizae 111–115, 118, 119, 120
Aristolochien synthase 255–258
Armillaria 138–139
 A. borealis 139
 A. calvescens 139
 A. cepistipes 139
 A. gemina 139
 A. lutea 139
 A. mellea 138
 A. ostoyae 139
 A. sinapina 139
 A. tabescens 138
Artenpaare 91
Arthoniales 90, 92
Ascomycota 108, 131, 132, 156
Ascospaera 156–157, 176
 A. aggregata 156–157
 A. apis 157

- Ascospaera* *continued*
A. larvis 156
A. subcuticulata 157
- Aspergillus* 131, 132, 187, 244, 251, 269, 270, 272, 275–278, 332
A. awamori 197–198, 199, 200
A. flavus 70, 246, 249–250, 252–253, 254, 267, 277, 311
A. fumigatus 267, 268, 269, 276–277
A. giganteus 276
A. nidulans 159, 188, 197–198, 199, 217, 220, 221, 249–250, 252, 277
A. niger 187, 188–189, 277
A. nominus 246
A. oryzae 199, 246, 250
A. parasiticus 246, 249–250, 252–253
A. restrictus 277
A. sojae 246, 250
A. terreus 277
A. versicolor 249, 252
- Attine ants 139
- Aureobasidium pullulans* 227
- Barley 295, 298, 309
- Basidiobolus* 154
B. ranarum 141
- Basidiomycete/Basidiomycota* 108, 131, 205–234
- Bean 295, 309
- Beauveria* 159–163, 177
B. amorpha 159–161
B. bassiana 71, 159–162, 178
B. brongniartii 159–162
B. caledonica 159–161
B. velata 159–160
B. vermicontia 159–161
- Beet 309
- Bipolaris* 249
B. oryzae 311, 314–316, 317, 318
B. sorokiniana 311
- Bjerkandera adusta* 211
- Blastocladiella emersonii* 131
- Blastomyces dermatitidis* 281–282
- Blastoschizomyces capitatus* 275
- Blotting, *see* Hybridization
- Blunt end cloning 36
- see also* Cloning and T/A cloning
- Bolbitius* 139
- Boletinus* 139
- Boletus* 109, 111
- Botryodiplodia theobromae* 311
- Botryodiploidin* 254
- Botrytis* 311
B. cinerea 48, 53–59, 162, 311
- Brassica* 136
- Bryophytes 87
- Burkholderia* 118
- Butyrivibrio fibrisolvens* 225
- Byssochlamys* 251
B. nivea 255
- Caliciales* 90, 135
- Calluna vulgaris* 116
- Caloplaca* 91
- Candida* 70, 267, 269, 270, 272–274
C. albicans 267, 269, 271, 272–275, 280
C. glabrata 267, 272–275, 282
C. guilliermondii 272–274
C. krusei 267, 271, 272–275
C. parapsilosis 271, 272–275
C. pseudotropicalis 273
C. stellatoidea 273
C. tropicalis 271, 272–275
- Capillary electrophoresis 6
- Capillary PCR 279
- Cassette-primer PCR 215
- cDNA, *see* Complementary DNA
- Cellulase genes 210, 220–226, 234
- Cercospora kikuchii* 311
- Cercospora oryzae* 311
- Ceriporiopsis subvermispora* 211, 233
- Chaetomium* 249
- Chaetothyriales* 136
- Chelating agents 27
- Chitin synthase genes 69, 130, 274, 330
- Chromosome walking 296
- Chrysosporium lignosum* 211
- Chymosin 197–198, 200
- Chytridiomycota* 131
- Chytridium* 141
- Cladiaceae* 90
- Cladonia chlorophaea* 92–95, 97
- Cladoniaceae* 90

- Cladosporium fulvum* 294, 296
Clavibacter michiganensis subsp.
 sepedonicus 313, 319
Clavicipitales 132–133
Claviceps purpurea 243
Cloning 13, 21–37, 52, 59, 187–192,
 195–196, 198, 220, 226, 291–293,
 297, 334
 see also Blunt end cloning, T/A
 cloning and Vectors
Cluster analysis 75, 158
Coccidioides immitis 267, 281–282, 326
Cochliobolus carbonum 293
Codon usage 25–26
Coenococcum geophilum 137
Colletotrichum 11, 68, 71, 73, 134, 176
 C. capsici 311
 C. gloeosporioides 134
 C. graminicola 134
 C. lindemuthianum 134, 311
 C. malvarum 134
 C. orbiculare 134
 C. sublineolum 134
 C. trifolii 134
 C. truncatum 311
Competitive RT-PCR, see Reverse
 transcriptase PCR
Complementary DNA 29–31, 48–52,
 56–59, 181–189, 195–196, 197,
 199, 208, 209, 211–217, 222–226,
 227, 230–234, 277, 291, 293,
 297–300, 331, 334–338
 see also Library
Conidiobolus 154
 C. coronatus 141
Coprinus 139
Cordyceps 156
 C. taiii 163
Coriolus hirsutus 217–221
 C. versicolor 211, 221
Cryptonectria parasitica 60, 217
Cryptococcus 68
 C. neoformans 267, 269, 272, 273,
 280–281
 see also *Filobasidiella neoformans*
Culmorin 259
Cyanobacteria 86–87, 89
Cylindrocarpon destructans 330
Cylindrocarpon heteronema 68
Cylindrocladium floridum 330
Cytochrome P-450 reductase 188
DAF, see DNA amplification
 fingerprinting
Dam methylation 191
 see also *Escherichia coli*
DDRT, see Differential display reverse
 transcriptase PCR
Denaturing gradient gel
 electrophoresis 6–7, 13, 234, 295
Dendrographa 91
DENS, see Differential extension with
 nucleotide subsets
Detection 12, 243–262, 268–282,
 290–291, 330–331, 339–342
DGGE, see Denaturing gradient gel
 electrophoresis
Dievernia 91
Differential display reverse transcriptase
 PCR 14, 47–60, 195–196, 200,
 234, 298, 334–335
Differential expression with nucleotide
 subsets 332
Diplodia maydis 311
DNA amplification fingerprinting
 see also Random amplification
 polymorphic DNA, Simple
 sequence repeats,
 Arbitrarily primed PCR,
 Enterobacterial repetitive
 intergenic consensus,
 Repetitive extragenic
 palindromic elements,
 Satellites, Short tandem
 repeat and Variable
 non-translated repeat
DNA extraction, general 10, 23, 126,
 206–207
 from clinical samples 270
 from food 252–253
 from lichens 87–88
 from soil 207
DNA polymerases, features 22
 see also *AmpliTaq, Taq, Tth, Pfu,*
 Pwo and Vent
Dot blots, see Hybridization
Dothideales 136

- Downy mildew 295
Drechslera tritici-repentis 311
- ECM fungi, *see* Ectomycorrhizae
 Ectomycorrhizae 109–111, 118
 EI-PCR, *see* Enzymatic inverse PCR
Elaphomyces 137
 Electrophoretic karyotyping 125, 136
see also Pulse field gel electrophoresis
 Enterobacterial repetitive intergenic consensus 9, 70, 320
Entomophaga 154–155
E. aulicae 155
E. grylli 154, 178
E. maimaiga 154–155
Entomophthora 154
E. muscae 141
Entomophthorales 140–141, 154–156
 Enzymatic inverse PCR 192–193, 200
Epichloë 133
E. typhina 133
Eremascus 157
 ERIC, *see* Enterobacterial repetitive intergenic consensus
Ericales 119
Erynia 154
E. kondoiensis 156
E. neoaphidis 154–156
Erynniopsis 154
Erysiphales 137
see also Powdery mildews
Escherichia coli 187–188, 191, 193, 194, 226, 300
 EST, *see* Expressed sequence tag
Eurotiales 90
Eurotium rubrum 132
 Expressed sequence tag 331
- Farrowia* 249
Filobasidiella neoformans, *see* *Cryptococcus neoformans*
 Fingerprinting, *see* DNA amplification fingerprinting and RNA fingerprinting
Fomes fomentarius 220
 Fumigaclavin 254
- Fumonisins 244, 245, 259–260, 261
 Fungus–plant interactions 53–57, 107–120, 289–300
Fusarin 259
Fusarium 12, 65, 67, 69, 134, 159, 187, 244, 251, 259, 261, 267
F. avenaceum 67, 259
F. beomiforme 134
F. culmorum 67, 259
F. graminearum 67, 199, 259–260
F. moniliforme 254, 259–260, 311, 314, 317
F. napiforme 259–260
F. nyagamai 259–260
F. oxysporum 67, 71, 72, 135, 190, 200, 311
F. oxysporum f.sp. *dianthi* 70
F. oxysporum f.sp. *lycopersici* 190
F. oxysporum f.sp. *melonis* 135
F. poae 318
F. polyphtaladicum 134
F. proliferatum 259–260
F. sambucinum 259
F. solani 254
Fuscoboletinus 139
 Fumonisin 244, 256
- Gaeumannomyces–Phialophora* complex 68, 133–134
G. graminis var. *avenae* 133
G. graminis var. *graminis* 133
G. graminis var. *tritici* 133, 298
Ganoderma 139–140
G. lucidum 139–140, 221
Gaultheria shallon 116
 Generally recognized as safe 198, 199–200, 246, 250
Geosiphon pyriforme 141
Geotrichum 251
Gerlachia oryzae 314
Gibberella 134
G. fujikuroi 60, 135
Gigaspora margarita 112, 114, 115, 118
Gliocladium 133
G. penicillioides 133
G. roseum 133
G. virens 133
see also *Trichoderma*

- Gliomastix* 133
Gloeoiphyllum trabeum 220–221
Glomales 111–112, 141
Glomus 154
 G. coronatum 113, 114–115
 G. dimorphicum 115
 G. etunicatum 141
 G. flavisporum 114
 G. intraradices 112
 G. mosseae 70, 113–115, 298
 G. versiforme 114
 G. vesiculiferum 112
Gomphidioides 109
GRAS, *see* Generally recognized as safe
Gremmeniella 68
Groundnut 309
- Herbarium specimens 23, 89, 126
Hot start-PCR 5, 27
Histoplasma capsulatum 267, 281–282
HIV 267, 280–281
Hybridization, DNA/DNA 85, 125
 dot blot 161, 197, 255, 260, 261
 in situ 208
 Northern 47, 52, 57–59, 195, 208,
 222, 227, 293, 298
 Southern 47, 52, 57, 97, 111, 115,
 222, 225, 227, 230, 271,
 273–274, 277, 279, 327
 subtractive 299–300
Hymenoscyphus ericae 116–117
Hypochytridium catenoides 131
Hypoocreaceae 133
Hypocreales 132–133
- IGS, *see* Intergenic spacer
Immunosuppression 267, 269, 277,
 279–280
Insertion elements 90, 92–95, 97, 100,
 136
Intergenic spacer 11, 65–69, 108, 129,
 130, 135, 138, 276
 see also Internal transcribed spacer
 and Ribosomal RNA gene
 cluster
Internal transcribed spacer 11, 12,
 65–69, 71, 72, 89, 91, 97–98, 101,
 108, 109–111, 113–115, 116, 126,
 129, 130, 132–141, 156, 157, 158,
 160–162, 165–178, 211, 258–259,
 262271, 280, 281, 320
 heterogeneity in ITS 73, 95–96, 115
 see also Intergenic spacer and
 Ribosomal RNA gene
 cluster
Intron 73, 92–96, 97–98, 100, 116–117,
 135–136, 137–138, 159, 163, 187,
 195, 234
Inverse PCR 32–33, 189, 192–193, 197,
 200, 207, 210, 326
IPCR, *see* Inverse PCR
In situ PCR 9, 291, 338
Inter-repeat PCR 9, 273
ITS, *see* Internal transcribed spacer
ITS heterogeneity, *see* Internal
 transcribed spacer
- Laccaria bicolor* 110–111
Laccase genes 215–220, 234
Lactarius 111
LA-PCR, *see* Long accurate PCR
Large subunit, *see* Ribosomal RNA gene
 cluster
- Larix* 139
Lasallia 85, 91
Lauderlindsaya boreri 91
Lecanorales 90, 95–96, 135
Lecanora dispersa 92
Lecanora muralis 94
Lentinula 176
 L. edlodes (*syn.* *Lentinus*
 edlodes) 138, 221
Lentinus lateritia 138
Lentinus novaezelandiae 138
Lentinus tigrinus 221
Leotiaceae 136
Leotiales 135
Leptosphaeria maculans 68, 136–137,
 290
Lettuce 295
Library 21, 210, 215, 222–225, 227, 293,
 299, 334
 see also Complementary DNA
Lichenicolous fungi 87–88, 91
Ligase chain reaction 9–10, 321

- Ligation-mediated PCR 33
 Lignin 205–234
 Lignin peroxidase gene 208–214,
 227–234
Listeria monocytogenes 252–253
 Loculoascomycetes 137
 Long accurate PCR 31
 Long PCR 327–329
- M13 phage 70, 277, 298
Magnaporthe grisea 133, 327–329
Magnaporthe poae 68
 Maize 309
 Marcfortines 254
Massospora 154
 Messenger RNA 14, 29–30, 34, 48–52,
 55–60, 126, 188, 189, 199,
 208–209, 222–226, 233, 297, 298,
 300, 334
Metarhizium 70, 133, 154, 157, 159,
 163–178
M. album 163, 168–178
M. anisopliae 161, 163–178
M. anisopliae var. *frigidum* 164–178
M. anisopliae var. *majus* 163–178
M. cylindrosporae 163
M. flavoviride 160, 163–178
M. flavoviride var. *minus* 160,
 163–178
M. guizhouense 163
M. pingshaeme 163
M. taiii 163
Microdochium nivale 290
Microhilum oncoperae 162
 Mitochondrial DNA 11, 73, 109, 129,
 135, 136–137, 140, 159, 195–196,
 273, 279–280, 314, 327
 Moniliformin 259
Monocillium 249
 mRNA, *see* Messenger RNA
 mtDNA, *see* Mitochondrial DNA
Monascus purpureus 132
Mucor 141, 154
Multiclavula mucida 89
 Multilocus genotyping, *see* Arbitrarily
 primed PCR
 Multiplex PCR 246–251, 257, 318–319,
 321
- Muskmelon 295
 Mutagenesis 192–195
Mycobacterium tuberculosis 278
Mycocaliciaceae 90
 Mycoinsecticide 154, 165
 Mycophenolic acid 254
 Mycotoxin 199, 200, 243–262
- NASBA, *see* Nucleic acid sequence-based amplification
Nectria 134, 156
Nectrioidae 133
Neocallimastix 141
Neolentinus 138
Neosartorya fischeri 132
Neozygites 154
Nephroma 91
 Nested PCR 7, 32, 271, 80, 281, 318, 320
Neurospora 187, 332
N. crassa 159, 217, 220, 221
Niebla 91
Normandina pulchella 91
 Northern blot, *see* Hybridization
 Nucleic acid sequence-based
 amplification 9–10
- Ochratoxin A 243, 244, 256
Oidiodendron maius 116–117
Omphalina 91, 176
Onygenales 90, 132
 Oomycetes 67–68, 141–142
Ophiostoma 71, 134
Ophiophaerella herpotricha 68
O. korrae 68
 Ordination 75
Orygia vetusta 155
 Overlap PCR 194, 200
- Paecilomyces* 132, 158
P. amoenoroseus 158
P. farinosus 158
P. fumosoroseus 158–159
P. lilacinus 158–159
P. varioti 277
Panus 138
Paracoccidioides brasiliensis 267, 281

- Parmelia* 95
 P. saxatilis 97–98, 99
 P. sulcata 97, 100
Parsimony 95–97, 128, 136, 154, 169–171
 see also Cluster analysis and Phylogenetic trees
Patulin 244, 245, 254
Pea 295
Peltigera 91
Penicillin V amidase gene 190–191, 200
Penicillium 11, 68, 131, 132, 244, 251
 P. camemberti 255
 P. carneum 254
 P. chrysogenum 195, 199, 277
 P. digitatum 254
 P. italicum 251
 P. marneffei 277
 P. nalgiovense 256
 P. paneum 254
 P. patulum 245
 P. roqueforti 251, 253–258
Penitrem A 244, 254
Peziza 136
Pezizales 135–136
PFGE, see Pulse field gel electrophoresis
Pfu 23, 24, 28, 31, 36, 217
 see also DNA polymerases
Phaeosphaeria 137
Phialophora 133
Phanerochaete chrysosporium 205, 210–215, 221–225, 227–230, 231–233, 234
 P. sordida 211
Phlebia brevispora 221
 P. radiata 221
Phoma glumarum 311
Phomopsis 317
Phylogenetic trees 90–95, 127–128, 168–172
 see also Cluster analysis and Parsimony
Physconia 95, 97
Phytophthora 11, 68, 141–142
 P. cactorum 142
 P. capsici 141
 P. cinnamomi 70, 141–142
 P. citropathora 141
 P. clandestina 142
 P. idaei 142
 P. infestans 56–57, 296
 P. iranica 142
 P. macrochlamydospora 142
 P. medicaginis 142
 P. megakarya 141
 P. megasperma 131, 142
 P. palmivora 141
 P. pseudotsugae 142
 P. sojae 142
 P. trifolii 142
Plectomycetes 137
Pleospora herbarum 137
Pleosporales 136
Pleurotus ostreatus 211–215, 220, 221
Plicaria 136
Pneumocystis carinii 72, 138, 267, 272, 278–280, 282
Podospora anserina 159
Poly(A) tails 29–20, 48–52, 189, 195, 215, 217, 226, 293, 297, 338
 see also Messenger RNA
Polyacrylamide gels 6, 51–52, 272, 273, 296, 298, 327, 335
Polyporaceae 138
Polysaccharides 87, 89, 206
Pooideae 133
Potato 296, 298, 300, 311
Powdery mildew 126, 137, 295, 311
Pr1 gene 164, 178
PR toxin 244, 245, 253–258
Primer-dimer 4, 24
Primers 2, 4, 5, 9, 10, 23, 24, 28, 87, 165, 168, 193–194, 209, 210, 217, 259, 295, 297, 298, 300, 331, 332
anchored 48–52, 56, 58, 298
degenerate 13, 24, 31, 32, 188–189, 332
extended 51
labelled 6, 339–341
melting point 28
nested 32
specific 2, 4, 12, 29, 51, 65–70, 88, 89–90, 100, 109, 111, 113, 119, 126, 189, 192, 222, 225, 226, 227–230, 231–233, 234, 253, 255, 256, 268, 269,

- Primers, specific *continued*
 273–275, 277, 280, 281, 296,
 314, 320
- Probes 65, 67, 70, 110, 188, 210, 230,
 233, 245, 248, 259–260, 271,
 273–275, 281, 297, 300
- Protomyces* 132
 P. inouyei 137
 P. lactucae-debilis 131
 P. macrosporus 311
- Proofreading 23, 327
 see also DNA polymerases
- Proteins 24, 125, 128, 129–130, 178,
 187, 188, 189, 190, 197–201,
 294
- Protein disulphide isomerase 189
- Pseudallescheria boydii* 272
- Pseudocercospora herpotrichoides* 68
- Pseudocyphellaria* 99
- Pseudomonas syringae* 296, 318
- Pseudotsuga* 139
- Puccinia* 140
 P. coronata 140
 P. graminis 67, 140
 P. recondita 140
- Pulse field gel electrophoresis 296, 313
 see also Electrophoretic
 karyotyping
- Pwo* 327
 see also DNA polymerases
- Pyrenomyces* 137
- Pyrenophora* 317
- Pyricularia oryzae* 311, 314
- Pythium* 68, 141
 P. heterothallicum 141
 P. splendens 141
 P. sylvaticum 141
 P. ultimum 67–68
- Q-beta replicase (Q β) 9
- Quantitative PCR 7, 290
- RACE, *see* Random amplification of
 cDNA ends
- Ramalina americana* 98
- Ramalinaceae* 91
- Ramalinopsis* 91
- Ramp-PCR 31
- Random amplification of cDNA
 ends 29–31, 189, 215, 226, 293
- Random amplification of polymorphic
 DNA 8, 11–12, 13, 63, 69–70,
 72, 74, 75, 98, 107, 113, 117, 119,
 130, 136, 138, 139–140, 155–156,
 157–158, 159–162, 164, 165–178,
 245, 259–261, 294–295, 313,
 314–316, 326
 see also DNA amplification
 fingerprinting
- RAPD, *see* Random amplification of
 polymorphic DNA
- RAP-PCR, *see* RNA arbitrarily primed
 PCR
- rDNA, *see* Ribosomal RNA gene
 cluster
- Recombination PCR 194, 200
- REP 9, 70, 165–178, 320, 327–329
- Repetitive extragenic palindromic
 elements, *see* REP
- Representational difference analysis
 299
- Restriction fragment length
 polymorphisms 7, 13, 65, 66–67,
 72, 75, 108, 110, 111, 113, 117,
 119, 125, 130, 134, 136, 138–141,
 155, 157, 160–162, 164, 294, 313,
 320, 325, 327–329
- Reverse transcriptase PCR
 competitive 207, 209, 230–231,
 234
 general 7, 9, 29, 95, 195–196, 200,
 207, 208–209, 215–217,
 222–225, 231–234, 293, 326,
 330
 see also Differential display reverse
 transcriptase PCR
- RFLP, *see* Restriction fragment length
 polymorphisms
- Rhizoctonia* 65–66
 R. oryzae 66
 R. solani 66, 70, 140, 217, 220,
 314
- Rhizomucor miehei* 199
- Rhizopogon* 109
- Rhizophorus arrhizus* 267, 272

- Ribosomal DNA, *see* Ribosomal RNA gene cluster
Ribosomal RNA gene cluster 10–11, 12, 63, 64–69, 71, 72–73, 74, 87, 89, 90–91, 92–96, 97, 99–100, 101, 108, 109–111, 112–113, 118, 119, 126, 129, 130–142, 154–155, 157, 159–161, 164, 245, 253, 258–260, 269, 271, 273–275, 276–277, 279–280, 313, 320, 327, 330
see also Intergenic spacer and Internal transcribed spacer
Rice (*Oryza sativa*) 309, 318
RNA arbitrarily primed PCR 299
RNA extraction 206–207
RNA fingerprinting 298–299
see also Differential display reverse transcriptase PCR
Root 107, 109, 111, 116, 118–120, 298, 300
Rottboellia 134
RT-PCR, *see* Reverse transcriptase PCR
Russula amoena 110
R. xerampelina 110
Rusts 140, 295
- Saccharomyces cerevisiae* 187, 199, 225, 273, 275, 280
Saitoella complicata 131
Salmonella typhimurium 300
Sarocladium oryzae 314–315, 317, 318, 321
Sarcoscypha 136
Satellites
 micro- 9, 70, 108, 114, 119, 178, 296
 mini- 9, 108
see also DNA amplification fingerprinting
SCAR, *see* Sequence characterized amplified regions
Schizophyllum commune 226
Schizosaccharomyces pombe 188
Sclerotinia 68, 71
Sclerotiniaceae 136
Sclerotium 71
Scutellospora 113
S. castanea 115
Scytalidium vaccinii 116
SDA, *see* Strand displacement amplification
Seedborne diseases 309–321
Sequence characterized amplified regions 12–13, 294–295
Shiitake 138
see also *Lentinula*
Sequence tagged site (STS) 331
Short tandem repeat (STR) 331
Similarity coefficients 74
Single-strand conformation polymorphism 6–7, 13, 112, 271–272
Siphulaceae 90
Small subunit, *see* Ribosomal RNA gene cluster
Smittium 154
 S. culisetae 140–141
Solorina 90–91
Sordariales 133
Sorghum 309
Southern blot, *see* Hybridization
Soybean 309
Species concepts 64
Sphaerophoraceae 90
Sphinctrinaceae 90
Spicellum roseum 133
Spizellomyces 141
Splicing by overlap extension (PCR-SOE) 326
Sporothrix schenckii 71
SSCP, *see* Single-strand conformation polymorphism
Simple sequence repeats (SSR) 296
see also DNA amplification fingerprinting
Stabilization, PCR reaction 27
Stenocarpella maydis 317
Stereocaulaceae 90
Sterigmatocystin 245, 246–247, 252
Sticta 99
Strand displacement amplification 9
Strongwellsea 154
Subtractive hybridization, *see* Hybridization
Sugar 309
Suillus 109–110, 139
 S. granulatus 139

- Suillus* continued
S. grevillei 139
S. pungens 110
 Suppression PCR 334–338
- β-Tubulin gene 53–54, 69, 129–130, 135, 197, 233
 T2 toxin 243
 T/A cloning 35–36
 see also Cloning
Talaromyces bacillisporus 132
T. flavus var. *macrosporus* 132
Taphrina 132
T. populin 131
T. wiesneri 131
Taq 2, 5, 7, 8, 28, 31, 36, 127, 194, 206, 226, 252, 327, 342
 see also DNA polymerases
 Telomere fingerprinting 162
Teloschistaceae 91
 Template 1, 2, 5, 7, 10, 48–49, 196, 197, 208, 209, 210, 211, 222, 234, 341
Tetrahymena thermophila 96
Thermus aquaticus 2
Thlaspi 136
Tilletia indica 314, 319, 342
T. laevis 311
T. tritici 311
 Tobacco necrosis virus 56
Tolyphocladium 159
 Tomato (*Lycopersicon*) 48, 53–59, 294, 296, 298, 300, 334
Torrubiella 156
 Touchdown-PCR 5
Trametes versicolor 221
T. villosa 217, 221
 Transfer RNA (tRNA) 158–159
Trichocomaceae 132
Trichoderma 70, 327
T. reesei 221–222
T. virens 133
 see also *Gliocladium*
Trichosporon beigelii 267
Trichothecens 245, 256, 259
Trichothecium roseum 133
 Truffles 111, 136
 see also *Tuber*
- Tth* 7, 29
 see also DNA polymerases
Tuber 68
T. aestivum 112
T. borchii 112
T. brumale 112
T. excavatum 112
T. ferrugineum 112
T. maculatum 112
T. magnatum 70, 112
T. melanosporum 112
T. rufum 112
Tylospora fibrillosa 110
 Tyrosinase gene 340
- Umbilicaria* 85, 91
U. cylindrica 99
Ustilaginales 138
Ustilaginoidea virens 311
Ustilago maydis 138, 311
Usnea 89
- Variable non-translated repeats 296, 314, 317
 see also DNA amplification
 fingerprinting
 Vector 189–195, 196, 198, 200, 226, 293
 see also Cloning
Vent 24, 28
 see also DNA polymerases
Verticillium 65–67, 290–291
V. albo-atrum 65, 67, 158
V. chlamydosporium 67
V. dahliae 65, 67, 158
V. lecanii 158
V. tricorpus 66
 VNTR, see Variable non-translated
 repeats
Volvariella volvacea 138
- Wheat 295, 309, 311, 318
- Xanthomonas axonopodis* pv. *citri* 318–819

- Xanthomonas axonopodis* continued
 X. oryzae pv. *oryzae* 312, 319, 320
- Xanthoria* 91
- Xylanase genes 210, 226–230, 234
- Xylariales* 132
- Zearalenone 259
- Zoophthora* 154
 Z. phytonomi 156
 Z. radicans 141, 154–156
- Zygomycota* 107, 131